



Oregon Health & Science University
Hospital and Clinics Provider's Orders

PO9031



ADULT AMBULATORY INFUSION ORDER

Antibiotic Therapy
(Penicillins and Carbapenems)

Page 1 of 3

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

Weight: _____ kg Height: _____ cm

Allergies: _____

Diagnosis Code: _____

Treatment Start Date: _____ Patient to follow up with provider on date: _____

****This plan will expire after 365 days at which time a new order will need to be placed****

GUIDELINES FOR ORDERING

1. Send **FACE SHEET** and **H&P** or most recent chart note.

LABS:

- CBC with differential, Routine, ONCE, every _____ (visit)(days)(weeks)(months) – Circle One
- CMP, Routine, ONCE, every _____ (visit)(days)(weeks)(months) – Circle One
- Labs already drawn. Date: _____

NURSING ORDERS:

1. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes.

MEDICATIONS:

Penicillins:

ampicillin

- 1000 mg in sodium chloride 0.9%, 50 mL, intravenous, ONCE over 15-20 minutes
- 2000 mg in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 15-20 minutes

nafcillin

- 1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- 2 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- 12 grams over one day in sodium chloride 0.9%, 100.8 mL, intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)

oxacillin

- 1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- 2 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- 12 grams over one day in sodium chloride 0.9%, 100.8 mL, intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)



Oregon Health & Science University
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

Antibiotic Therapy
(Penicillins and Carbapenems)

Page 2 of 3

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

penicillin G potassium (PFIZERPEN) **intravenous**

- 1 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 2 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 2.5 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 3 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 4 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 5 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 20 million over 1 day in sodium chloride 0.9%, 100.8 mL, ONCE over 24 hours, **continuous infusion via CADD** (OHSU only)

penicillin G benzathine (BICILLIN L-A) **intramuscular**

- 600,000 units as a single dose
- 1.2 million units as a single dose
- 2.4 million units as a single dose

piperacillin/tazobactam (ZOSYN)

- 2.25 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes
- 3.375 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes
- 4.5 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes
- 10.125 grams over one day in sodium chloride 0.9%, 112.8 mL intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)
- 13.5 grams over one day in sodium chloride 0.9%, 151.2 mL intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)
- 18 grams over one day in sodium chloride 0.9%, 201.6 mL intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)

Interval: (must check one)

- ONCE
- Daily x _____ doses

Carbapenems:

ertapenem (IVANZ)

- 1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes or 100 mg/mL IV push over 5 minutes per infusion facility practice.

meropenem (MERREM)

- 500 mg in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 15-30 minutes
- 1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 15-30 minutes

Interval: (must check one)

- ONCE
- Daily x _____ doses

FOR InfuSystem™ AMBULATORY PUMP USE (OHSU only; hook up at infusion location):

Duration:

- _____ days



Oregon Health & Science University
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

Antibiotic Therapy
(Penicillins and Carbapenems)

Page 3 of 3

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

HYPERSENSITIVITY MEDICATIONS:

1. NURSING COMMUNICATION – If hypersensitivity or infusion reactions develop, temporarily hold the infusion and notify provider immediately. Administer emergency medications per the Treatment Algorithm for Acute Infusion Reaction (OHSU HC-PAT-133-GUD, HMC C-132). Refer to algorithm for symptom monitoring and continuously assess as grade of severity may progress.
2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
3. EPINEPHrine HCl (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction

By signing below, I represent the following:

I am responsible for the care of the patient (*who is identified at the top of this form*);

I hold an active, unrestricted license to practice medicine in: Oregon _____ (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

My physician license Number is # _____ (MUST BE COMPLETED TO BE A VALID PRESCRIPTION); and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

Provider signature: _____ **Date/Time:** _____

Printed Name: _____ **Phone:** _____ **Fax:** _____

Please check the appropriate box for the patient's preferred clinic location:

Hillsboro Medical Center
 Infusion Services
 364 SE 8th Ave, Medical Plaza Suite 108B
 Hillsboro, OR 97123
 Phone number: (503) 681-4124
 Fax number: (503) 681-4120

Adventist Health Portland
 Infusion Services
 10123 SE Market St
 Portland, OR 97216
 Phone number: (503) 261-6631
 Fax number: (503) 261-6756

Mid-Columbia Medical Center
 Celilo Cancer Center
 1800 E 19th St
 The Dalles, OR 97058
 Phone number: (541) 296-7585
 Fax number: (541) 296-7610